



FIG. 1





DOGGLEYS COCCO






FIG. 5


'nΩ
ij,
ļЛ
=
ijΠ
:===
إرا
-3-5
3
i
:

		FIRST	TRANSITION	SECOND
	m o	RECEIVED	DRIVE	RECEIVED
FROM	ТО	SIGNAL	SIGNAL	SIGNAL
A	D	0M+3S	3M+3S	3M+0S
A	С	0M+3S	2 M + 3 S	2M+1S
A	В	0M+3S	1M+3S	1M+2S
В	A	1 M + 2 S	0M+2S	0M+3S
В	С	1 M + 2 S	2M+2S	2M+1S
В	D	1 M + 2 S	3M+2S	3M+0S
C	A	2 M + 1 S	0 M + 1 S	0 M + 3 S
C	В	2 M + 1 S	1 M + 1 S	1 M + 2 S
C	D	2 M + 1 S	3 M + 1 S	3M+0S
D	A	3 M+0 S	0M+0S	0M+3S
D	В	3 M+0 S	1 M + 0 S	1 M + 2 S
D	С	3M+0S	2M+0S	2 M + 1 S


FIG. 6










coemusta cocco



COMMUNICATION OF THE PROPERTY OF THE PROPERTY










FIG. 13





FIG. 14






FIG. 17




FIG. 19




FIG. 20

under and and and



